

12U 36in Knock-Down Server Rack Cabinet with Casters

Product ID: RK1236BKF



This server rack provides 12U of storage space in a sleek secure cabinet for storing EIA-310 compliant 19" rackmount devices such as Dell, HP and IBM servers along with telecommunication and A/V equipment. The rack creates a robust storage solution supporting a total load capacity of 800 kg. (1763.7 lbs.).





Hassle-free equipment installation

This rack has been engineered with different features that enable you to easily incorporate plenty of equipment.

With adjustable mounting rails you can easily change the rail depth to up to 29.1 in. (740mm). These rails ensure the cabinet is widely compatible with your standard rackmountable equipment. The added depth also provides support for additional cable and power management behind your equipment.

The rack features brushed ports on the ceiling and floor panels that enable you to easily run cabling to the inside and outside of the cabinet, for



discreet cable management. The floor and ceiling panels can also be removed enabling you to customize your setup, and the rack features grounding lugs that enable you to ground your equipment for added protection.

Securely protect your equipment while still being able to see it

To ensure you have full visibility of your equipment while securely locking it up, this rack has a stylish glass window on the front door. The glass door looks great in any server room, and gives you the freedom to clearly monitor equipment without the hassle of opening your rack.

The rack also has removable side panels with independent locks quick-release mechanisms that enable you to easily access your equipment while still keeping it secure.







Save money, with a cost effective, compact shipping container

The cabinet comes in a flat packed box to reduce shipping volume, which significantly reduces your costs in shipping. Plus, because the rack is packaged efficiently, you can easily store the cabinet, for deployment at a later date.

Maximum Maneuverability, with casters included

The cabinet features casters ensuring hassle-free access to the rear mounted equipment, while providing ease of mobility around your office, studio or server room. Plus, the width and height of the rack fits through standard doorways, giving you the freedom to wheel your server rack into different rooms.



Ensure your equipment is running at an optimal temperature

The rear door on the rack is mesh, and the front glass door is vented, working together to increase airflow to provide passive cooling that's cost effective and ensures your equipment runs at an optimal temperature.

The top ceiling panel features square venting holes that are cage nut compatible, which provide mounting points that enable you to add additional equipment at the top of your rack.

The RK1236BKF is backed by a lifetime StarTech.com warranty with free technical support.





Data Sheet

Certifications, Reports and Compatibility





Applications

- Perfect solution for Technology shops and repair centers with limited space and mountable equipment where security is required
- Ideal for rack mount servers, KVM switches, networking equipment and cabinet consoles
- Audio/Video editing room, radio or television studio broadcast rackmount equipment
- A great solution for the college/university classroom, where only limited rackmount equipment is needed, but security is still important

Features

- Increase visibility and security with a glass door
- Easy equipment installation
- Keep your equipment at an optimal temperature with passive cooling
- Mount equipment at the top of the rack with a ceiling panel that features square venting holes that are cage nut compatible
- Easy assembly at the point of installation for rapid deployment
- Front and side mounting holes to accommodate different types of equipment



Data Sheet

| | Warranty | Lifetime |
|-----------------------------|------------------------------|--|
| Hardware | Frame Type | Enclosed Cabinet |
| | Front Door Construction | Steel with Glass Window |
| | Front Door Features | Secure Key Lock with Removable Front Door |
| | Industry Standards | EIA/ECA-310-E |
| | Mounting Hole Types | Square (For Cage Nut) |
| | Mounting Rail Profile | G-Shape |
| | Rack Type | 4-Post |
| | Rear Door Construction | Steel Mesh |
| | Rear Door Features | Secure Key Lock with Removable Back Door |
| | Side Panel Construction | Aluminum |
| | Side Panel Features | Secure Key Lock with Removable Side Panels |
| | Special Features | Casters (Included) |
| | | Easy Assembly |
| | | Grounding Lug(s) |
| | | Leveling Feet |
| | | U-Markings |
| | U Height | 12U |
| | Wallmountable | No |
| Performance | Weight Capacity (Stationary) | 1768 lb [800 kg] |
| Physical Characteristics | Color | Black |
| | Internal Depth | 29.1 in [74 cm] |
| | Internal Width | 23.6 in [60 cm] |
| | Maximum Mounting Depth | 29.1 in [74 cm] |
| | Minimum Mounting Depth | 5.5 in [14 cm] |
| | Product Height with Casters | 28.9 in [73.4 cm] |
| Product Measurements | Product Height | 26.1 in [66.3 cm] |
| | Product Length | 35.4 in [90 cm] |
| | Product Width | 23.7 in [60.3 cm] |
| | Weight of Product | 96.2 lb [43.5 kg] |
| | | |



Data Sheet

| Packaging Information | Flat Pack (Assembly Required) | Yes |
|--------------------------|-------------------------------|--------------------------|
| | Package Height | 12.7 in [32.2 cm] |
| | Package Length | 38.3 in [97.4 cm] |
| | Package Width | 28.9 in [73.4 cm] |
| | Shipping (Package) Weight | 116.3 lb [52.6 kg] |
| What's in the Box | Included in Package | 3 - Bottom Panel |
| | | 2 - Side Panel and Frame |
| | | 1 - Top Panel |
| | | 4 - Cross Brace |
| | | 8 - Plastic Corner Caps |
| | | 4 - Casters |
| | | 2 - Sets of Keys |
| | | 4 - Adjustable Feet |
| | | 20 - M6 Cage Nuts |
| | | 20 - M6 Screws |
| | | 2 - Allen Wrench |
| | | 1 - Assembly Screw Kit |

Product appearance and specifications are subject to change without notice.