

# Rittal – The System.

Faster – better – everywhere.

## ► Levelling component for base/plinth system VX, base/plinth system AX – VX 8100.710

Date : Jun 14, 2019

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Levelling component for base/plinth system VX, base/plinth system AX – VX 8100.710

created: 14.06.2019 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

|                         |   |
|-------------------------|---|
| <b>Description:</b>     | For retrospective levelling on uneven floors at the installation site up to a maximum of 15 mm. Installed through the base/plinth corner piece. |
| <b>Benefits:</b>        | A door offset caused by uneven flooring can be corrected<br>Installed on the assembled enclosure, i.e. no need to plan levelling in advance     |
| <b>Supply includes:</b> | Assembly parts  |
| <b>Note:</b>            | For use in combinations of VX, TS, TS IT, SE, PC, IW, TE with base/plinth system VX<br>Check the load capacity of the floor.                    |

## Product features

|                                      |  |
|--------------------------------------|--|
| <b>Dimensions:</b>                   | Height: 100 mm                                       |
| <b>Load capacity:</b>                | Max. admissible load: 2500 N per levelling component |
| <b>Packs of:</b>                     | 4 pc(s).   |
| <b>Weight/pack:</b>                  | 0.74 kg  |
| <b>Copper weight (kg per piece):</b> | 0  |
| <b>EAN:</b>                          | 4028177921559  |
| <b>Customs tariff number:</b>        | 73181900   |

|                             |   |
|-----------------------------|---|
| <b>ETIM 6.0:</b>            | EC000721  |
| <b>ETIM 5.0:</b>            | EC002620  |
| <b>eCl@ss 8.0/8.1:</b>      | 27182003  |
| <b>eCl@ss 7.0/7.1:</b>      | 27182003  |
| <b>eCl@ss 6.0/6.1:</b>      | 27182003  |
| <b>eCl@ss 5.1/5.1.4:</b>    | 27189235  |
| <b>Product description:</b> | VX Levelling component, for base/plinth H: 100 mm |