
AMP-LATCH 15.2 HIGH TAPE ACTIVE




AMP-LATCH

TE Part # 1-215915-4 TE Internal #: 1-215915-4

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > Ribbon Cable Connectors



Connector System: Wire-to-Board

Number of Positions: 14

Centerline (Pitch): 2.54 mm [.1 in]

Termination Method to Wire & Cable: Insulation Displacement Crimp (IDC)

Row-to-Row Spacing: 2.54 mm [.1 in]

Features

Product Type Features

rioduct Type reatures	
Product Type	Connector
Wire/Cable Type	Ribbon Cable
Connector System	Wire-to-Board
Row-to-Row Spacing	2.54 mm[.1 in]
Connector Style	Receptacle
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	14
Number of Rows	2
Contact Features	
	30 µin
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	1 A

Termination Features

Termination Method to Wire & Cable	Insulation Displacement Crimp (IDC)

Mechanical Attachment

Mating Alignment Type	Polarization
Mating Connector Lock	With
Mating Connector Lock Type	Latch

TE Part # 1-215915-4 TE Internal #: 1-215915-4



Carara a da se Marriadia ar Trusa	Cable Mount (Free-Hanging)
Connector Mounting Lybe	Capie Mount (Free-Handing)
Connector Mounting Type	easie meant (i ree nanging)

Housing Features

Housing Color	Gray
Centerline (Pitch)	2.54 mm[.1 in]
Usage Conditions	

-65 - 105 °C[-85 - 221 °F]

Operating Temperature Range

Operation/Application

Circuit Application	Signal	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JUN 2018 (191)
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.


Customers Also Bought

TE Part # 1-215915-4 TE Internal #: 1-215915-4







TE Part #6-100103-0 60P.A/L.STRAIN REL.



TE Part #5-215915-0 AMP-LATCH 15.2 HIGH TAPE



TE Part #2-215915-6 AMP-LATCH 15.2 HIGH TAPE







TE Part #1-1437358-2 171-50G100M=50P 28A



TE Part #166460-3
IEC-F F.CONT.COSI



TE Part #8-1437020-6 609-2031HD=FSKT IDC S 20 SR



37020-6 TE Part #151667-4
FSKT IDC S FF 375 REC TERMINAL 1110 AWG PBR



TE Part #1-826629-5 15P AMPMODU II STIFT LEI



Documents

Product Drawings

AMP-LATCH 15.2 HIGH TAPE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-215915-4_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-215915-4_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-215915-4_F.3d_stp.zip

English

Product Environmental Compliance

Product Compliance

AMP-LATCH 15.2 HIGH TAPE

TE Part # 1-215915-4 TE Internal #: 1-215915-4



English

Product Compliance

English